Duron



DURON ENDURA SERIES


Hospital
Market
Factory
School
Gym
Office
Restaurant
Fitness Club
Residential House

DURON ENDURA SERIES Homogeneous PVC Flooring

2m	34-43	UV	100%recyclable



0221



0212



0211



0208





0207



0210




0201



0202



0203



0205



0204



0206

DURON ENDURA SERIES Homogeneous PVC Flooring


2m	34-43	UV	100%recyclable



0209



0222



0224



0223




0219



0217



0220



0218




0225






0215



0214



0216



0213

DURON ENDURA SERIES Homogeneous PVC Flooring

2m	34-43	UV	100%recyclable



0107



0111



0110




0112



0109





0103




0106



0105



0101



0104




0102

DURON ENDURA SERIES Homogeneous PVC Flooring

2m	34-43	UV	100%recyclable


0121


0108


0123


0122


0126


0125



0120



0118


0117


0119


0114


0116


0113


0115


reuse
Available And Recycled
good materials
Better Material
resource stewardship
Reasonable Resource Management
people friendly spaces
Humanized Space

Charcteristics	Standard	Unit	Result
Type of flooring	ISO 10581 - EN 649		Homogeneous Floor
Material			Polyvinyl chloride
Cover			Strengthen PUR
Safety criteria			
Flammability	EN 13501-1	class	B_{fl} - s1
Sound	ISO 10140	dB	3
Slip resistance	DIN 51130	group	R9
Dynamic coefficient of friction	EN 13893	class	DS
Performance behaviour			
Sheet width	ISO 24341 - EN 426	m	2
Sheet length	ISO 24341 - EN 426	m	20
Overall thickness	ISO 243416 - EN 428	mm	2.0
Total weight	ISO 23997 - EN 430	g/m²	2800
Wear resistance	EN 649	group	T
Residual indentation	ISO 24343 -1 - EN 433	mm	0.02
Dimensional stability	ISO 23999 - EN 434	-	X<0.4%, Y<0.4%
Color fastness	ISO 105 - B02	rating	≥6
Resisitance to staining	EN 423		No stain
Bend resistance	GB/T 11982.2 - 2015		No
Antibacterial	ISO 22196		Level 1
Anti iodine			Good
Classification			
Domestic	ISO 10874 - EN 685	class	23 heavy duty
Commercial	ISO 10874 - EN 685	class	34 very heavy duty
Industrial	ISO 10874 - EN 685	class	43 heavy duty
Additional property			
Castor Chair √			Antistatic Behavious √
Underfloor Heating √			Chemical Resistance √

LOW VOC · Antiviral · Anti-bacterial · Stain Resistance · Chemical Resistance · Fire Resistance · Heavy Metal Migration · DOTP · PUR Coating